Author index

AGNATI, L.F. (*see* FUXE, K.), 579
AHLMAN, H. (*see* BJÖRCK, S.), 247
ANDERSEN, F.R., ILEBEKK, A. & KIIL, F. Myocardial oxygen consumption during atrial pacing at various inotropic levels, 315
ANDERSSON, K.E. (*see* ARNER, M.), 417
ANDERSSON, K.-E. (*see* SJÖGREN, C.),177
ANDERSSON, L. G. (*see* VINGE, E.), 407
ANDERSSON, O.K. (*see* ECKBERG, D.L., 221
ANDERSSON, P.-O. (*see* SJÖGREN, C.), 177
ÄNGGÅRD, A. (*see* LACROIX, J.S.), 183
ANTTINEN, H. (*see* LEIPÄLÄ, J.A.), 325
AUKLAND, K. (*see* WIIG, H.), 167
ARNER, M., HÖGESTÄTT, E.D. & ANDERSSON, K.E. Effects of nimodipine, Bay K 8644 and pinacidil on α_1- and α_2-adrenoceptor-mediated vasoconstriction in human hand veins, 417
ARNER, A. (*see* MALMQVIST, U.), 49
AUGUSTSSON, I. (*see* MCRAE-DEGUEURCE, A.), 583

BARNETT, T.B. & RASMUSSEN, B. Separate resistive loading of the respiratory phases during mild hypercapnia in man, 355
BERGSTRÖM, M. (*see* REN, J. M.), 101
BJÖRCK, S., AHLMAN, H., DAHLSTRÖM, A., PHILLIPS, S.F. & KELLY, K.A. Serotonergic regulation of canine enteric motility (measured as electrical activity) and absorption. Physiologic and morphologic evidence, 247
BJÖNBERG, J., GRÄNDE, P.-O., MASPERS, M. & MELLANDER, S. Site of autoregulatory reactions in the vascular bed of cat skeletal muscle as determined with a new technique for segmental vascular resistance recordings, 199
BJØRO, T., ØSTBERG, B.C., SAND, O., TORJESEN, P.A., PENMAN, E., GORDELADZE, J.O., IVERSEN, J.-C., GAUTVIK, K.M. & HAUG, E. Somatostatin inhibits prolactin secretion by multiple mechanisms involving a site of action distal to increased cyclic adenosine 3′,5′-monophosphate and elevated cytosolic Ca^{2+} in rat lactotrophs, 271
BLOMSTRAND, E., CELSING, F. & NEWSHOLME, E.A. Changes in plasma concentrations of aromatic and branched-chain amino acids during sustained exercise in man and their possible role in fatigue, 117
BORG, J. (*see* TEGNER, R.), 589
BØYUM, A. (*see* HELGESTAD, J.), 41
BUANES, T. (*see* GROTMOL, T.), 391
BUANES, T., GROTMOL, T., LANDSVERK, T., NAFSTAD, P. & RÆDER, M.G. Effects of arterial pH and carbon dioxide on pancreatic exocrine H^+/HCO_3^- secretion and secretin-dependent translocations of cytoplasmic resides in pancreatic duct cells, 1
BUANES, T., GROTMOL, T., VEEL, T., LANDSVERK, T., RIDDERSTRÅLE, Y. & RÆDER, M.G. Importance of carbonic anhydrase for canalicular and ductular chorersis in the pig, 535
BUGGE, J.F., STOKKE, E.S., DAHL, E. & KIIL, F. Effects of ureteral occlusion and ethacrynic acid infusion on renal prostaglandin degradation in the dog, 469

CAMPAIGNE, B.N. (*see* WALLBERG-HENRIKSSON, H.), 125
CARLSON, H., THORSTENSSON, A. & NILSSON, J. Lumbar back muscle activity during locomotion: effects of voluntary modifications of normal trunk movements, 343
CARLSTEDT, A., FASTH, S., HULTÉN, L. & NORDGREN, D. The sympathetic innervation of the internal anal sphincter and rectum in the cat, 423
CELSING, F. (*see* BLØMSTRAND, E.), 117
CHASIØTIS, D. (*see* REN, J.M.), 101
CHERKSEY, B.D. & ZUETHEN, T. [^{3}H]Bumetanide binding to the purified putative co-transporter protein, 267
CINTRA, A. (*see* FUXE, K.), 579

DAHL, E. (*see* BUGGE, J.F.), 469
DAHLSTRÖM, A. (*see* BJÖRCK, S.), 247
DAHLSTRÖM, A. (*see* MACRAE-DEGUEURCE, A.), 583
DICH, J. (*see* GRUNNET, N.), 593

ECKBERG, D.L., REA, R.F., ANDERSSON, O.K., HEDNER, T., PERNOW, J., LUNDBERG, J.M. & WALLIN, B.G. Baroreflex modulation of sympathetic activity and sympathetic neurotransmitters in humans, 221
EDEN, S. (*see* OSCARSSON, J.), 257
EKBLOM, A. & HANSSON, P. Single-unit recordings with tungsten microelectrodes from the sciatic nerve in the rat, 269
EKLUND, S., SJÖQVIST, A., FAHRENKRUNG, J., JODAL, M. & LUNDGREN, O. Somatostatin and methionine–enkephalin inhibit cholera toxin-induced jejunal net fluid secretion and releases of vasoactive intestinal polypeptide in the cat *in vivo*, 551
EKMEHAG, B.L. & HELLSTRAND, P. Contractile and metabolic characteristics of creatine-depleted vascular smooth muscle of the rat portal vein, 525
ELAM, J.-H. (*see* NYGREN, H.), 573

ENGEL, K. (*see* KELDEBERG, P.), 389

FAHRENKRUG, J. (*see* EKLUND, S.), 551
FAHRENKRUG, J. (*see* SJÖQVIST, A.), 289
FANDRIKS, L. (*see* JONSON, C.), 545
FASCHING, B. (*see* HANSELL, P.), 373
FASTH, S. (*see* CARLSTEDT, A.), 423
FOLKESSON, H.G., WESTRÖM, B.R., LUNDIN, S. & KARLSSON, B.W. Decreased passage of the nonapeptide dDAVP over the intestinal epithelium during development in the young rat, 283
FRIBERG, P., HOFFMANN, P., NORDLANDER, M. & THOREN, P. Effects of voluntary physical exercise on cardiac function and energetics in spontaneously hypertensive rats, 495
FRIDÉN, J. (*see* LEIBER, R. L.), 587
FRIMAN, S. (*see* RÅDBERG, G.), 19
FUXE, K. (*see* ÖGREN, S.O.), 91
FUXE, K., ÖGREN, S.-O., JANSSON, A., CINTRA, A., HÄRFSTRAND, A. & AGNATI, L.F. Intraventricular injections of galanin reduces 5-HT metabolism in the ventral limbic cortex, the hippocampal formation and the front-parietal cortex of the male rat, 579

GALBO, H. (*see* SECHER, N.H.), 233
GAUDERNACK, G. (*see* HELGESTAD, J.), 41
GAUTVIK, K. M. (*see* BLØRO, T.), 271
GAZELIUS, B. (*see* OLGART, L.), 399
GERDIN, B. (*see* HOLTZ, A.), 485
GONZÁLEZ E., SALOMONSSON, M., MULLER-SUUR, C. & PERSSON, A.E.G. Measurements of macula densa cell volume changes in isolated and perfused rabbit cortical thick ascending limb. II. Apical and basolateral cell osmotic water permeabilities, 159
GONZÁLEZ, E., SALOMONSSON, M., MÜLLER-SUUR, C. & PERSSON, A.E.G. Measurements of macula densa cell volume changes in isolated and perfused rabbit cortical thick ascending limb. I. Isosmotic and anisosmotic cell volume changes, 149
GÖRANSSON, A. & ULFENDAHL, H.R. Increase in proximal tubular fluid reabsorption by renal nerve stimulation. A split oil droplet study, 455
GORDELADZE, J.O. (*see* BJØRO, T.), 271
GRÄNDE, P.-O. (*see* BJÖRNBERG, J.), 199
GROTMOL, T. (*see* BUANES, T.), 1, 535
GROTMOL, T., BUANES, T., SØRENSEN, H. & RÆDER, M. G. Effects of bumetanide on bile flow in the pig, 391
GRUNNET, N., VIND, C. & DICH, J. Synergistic effect of insulin and glucocorticoid on albumin secretion in cultured hepatocytes, 593

HALID, K. (*see* MCRAE-DEGUEURCE, A.), 583
HANSELL, P., MICHAELSSON, K. & ULFENDAHL, H.R. Renal effects of Atriopeptin II and dopamine receptor blockade in acutely volume-expanded rats, 35
HANSELL, P., SJÖQUIST, M., FASCHING, B., ISAKSON, B., KARLSSON, M. & ULFENDAHL, H.R. CNS-induced natriuresis during dopamine receptor blockade. Further support for the existence of, at least, two separate natriuretic hormonal systems, 373
HANSSON, H.A. (*see* NACHEMSON, A.K.), 139
HANSSON, P. (*see* EKBLOM, A.), 269
HARALDSSON, B. Diffusional transport of albumin from interstitium to blood across small pores in the capillary walls of rat skeletal muscle, 63
HÄRFSTRAND, A. (*see* FUXE, K.), 579
HASSINEN, I.E. (*see* LEIPÄLÄ, J.A.), 325
HAUG, E. (*see* BJØRO, T.), 271
HEDNER, J. (*see* PETTERSSON, A.), 513
HEDNER, T. (*see* ECKBERG, O.K.), 221
HEDNER, T. (*see* PETTERSSON, A.), 513
HEIR, S. (*see* WIIG, H.), 167
HEIR, S. & WIIG, H. Subcutaneous interstital fluid colloid osmotic pressure in dehydrated rats, 365
HELGESTAD, J., BØYUM, A., STORM-MATHISEN, I., GAUDERNACK, G. & LIE, S.O. Human granulopoiesis *in vitro* – medium-dependent growth regulation by a granulocyte-derived inhibitor, 41
HELLMAN, B. (*see* WESSLEN, N.), 11
HELLSTRAND, P. (*see* EKMEHAG, B.L.), 525
HELLSTRÖM, P.M. & SJÖQVIST, A. Involvement of opioid and nicotinic receptors in rectal and anal reflex inhibition of urinary bladder motility in cats, 559
HENRIKSEN, O. (see KEIDING, S.), 335.
HENRIKSSON, J. (*see* WALLBERGE-HENRIKSSON, H.), 125
HIRVONEN, L. (*see* KARHUNEN, M.K.), 307
HOFFMANN, P. (*see* FRIBERG, P.), 495
HOFFMANN, P. & THORÉN, P. Electric muscle stimulation in the hind leg of the spontaneously hypertensive rat induces a long-lasting fall in blood pressure, 211
HÖGESTÄTT, E.D. (*see* ARNER, M.), 417
HOLTZ, A., NYSTRÖM, B. & GERDIN, B. Regulation of spinal cord blood flow in the rat as measured by quantitative autoradiography, 485
HULTÉN, L. (*see* CARLSTEDT, A.), 423
HULTMAN, E. (*see* REN, J.M.), 101, 109

ILEBEKK, A. (*see* ANDERSEN, F.R.), 315
ISAKSON, B. (*see* HANSELL, P.), 373
IVERSEN, J.-G. (*see* BJØRO, T.), 271

JACOBSSON, B. (*see* UVNÄS-MOBERG, K.), 127
JANSSON, A. (*see* FUXE, K.), 579
JANSSON, E. (*see* NORMAN, B.), 99
JANSSON, J.-O. (*see* OSCARSSON, J.), 257
JODAL, M. (*see* EKLUND, S.), 551
JODAL, M. (*see* SJÖQVIST, A.), 289
JOHNSON, A.K. (*see* KNARDAHL, S.), 477
JONSON, C. & FANDRIKS, L. Afferent electrical

stimulation of mesenteric nerves inhibits duodenal HCO_3^- secretion via a spinal reflex activation of the splanchnic nerves in the rat, 545
JØRUM, E. The analgesic effect of peripheral nerve stimulation in various tests of nociception in rats, 131

KAINULAINEN, H. (*see* LEIPÄLÄ, J.A.), 325
KANNISTO, P., OWMAN, CH., SCHMIDT, G. & SJÖBERG, N.-O. A heterogenous population of α_1-adrenoceptors mediates contraction of the isolated follicle wall from the bovine ovary, 563
KARHUNEN, M.K., RÄMÖ, M.P. & KETTUNEN, R. Anabolic steroids alter the haemodynamic effects of endurance training and deconditioning in rats, 297
KARHUNEN, M.K., RÄMÖ, M.P., KETTUNEN, R. & HIRVONEN, L. The cardiovascular effects of deconditioning after endurance training in rats, 307
KARLSSON, B. W. (*see* FOLKESSON, H.G.), 283
KARLSSON, M. (*see* HANSELL, P.), 373
KEIDING, S., HENRIKSEN, O. & SEJRSEN, P. Muscle capillary permeability for [^{14}C] inulin and [^{51}Cr] EDTA in human forearm, 335
KELLY, K.A. (*see* BJÖRCK, S.), 247
KETTUNEN, R. (*see* KARHUNEN, M.K.), 297, 307
KIIL, F. (*see* ANDERSEN, F.R.), 315
KIIL, F. (*see* BUGGE, J.F.), 469
KILDEBERG, P., WAMBERG, S. & ENGEL, K. Adrenocorticotrophic hormone in the control of renal tubular hydrogen ion secretion. Balance of non-metabolizable base in ACTH-stimulated weanling rats subject to acid or base loading, 389
KJÆR, M. (*see* SECHER, N.H.), 233
KNARDAHL, S., SANDERS, B.J. & JOHNSON, A.K. Effects of adrenal demedullation on stress-induced hypertension and cardiovascular responses to acute stress, 477

LACROIX, J.S., STJÄRNE, P., ÄNGGÅRD, A. & LUNDBERG, J.M. Sympathetic vascular control of the pig nasal mucosa (II): reserpine-resistant, non-adrenergic nervous response in relation to neuropeptide Y and ATP, 183
LANDSVERK, T. (*see* BUANES, T.), 1, 535
LÄNNERGREN, J. & WESTERBLAD, H. The effect of temperature and stimulation scheme on fatigue and recovery in *Xenopus* muscle fibres, 73
LÄNNERGREN, J. (*see* WESTERBLAD, H.), 83
LARSSON, B. (*see* VINGE, E.), 407
LEIPÄLÄ, J.A., TAKALA, T.E.S., RUSKOAHO, H., MYLLYLA, R., KAINULEINEN, H., HASSINEN, I.E., ANTTINEN, H. & VIHKO, V. Transmural distribution of biochemical markers of total protein and collagen synthesis, myocardial contraction speed and capillary density in the rat left ventride in angiotensin II-induced hypertension, 325
LEMBECK, F. The Ulf von Euler Lecture. Substance P From extract to excitement, 435
LIE, S.O. (*see* HELGESTAD, J.) 41
LIEBER, R.L. & FRIDÉN, J. Selective damage of fast glycolytic muscle fibres with eccentric contraction of the rabbit tibialis anterior, 587
LUNDBERG, A. & MALMGREN, K. The dynamic sensitivity of Ib inhibition, 123
LUNDBERG, J.M. (*see* EKBERG, O.K.), 221
LUNDBERG, J.M. (*see* LACROIX, J.S.), 183
LUNDBORG, G. (*see* NACHESMSON, A.K.), 139
LUNDGREN, O. (*see* EKLUND, S.), 551
LUNDGREN O. (*see* SJÖQVIST, A.), 289
LUNDIN, S. (*see* FOLKESSON, H.G.), 283

MCRAE-DEGUEURCE, A., ROSENGREN, L., HAGLID, K., AUGUSTSSON, I. & DAHLSTRÖM, A. Dopaminergic terminals in the rat locus coeruleus: an immunocytochemical investigation, 583
MALMGREN, K. (*see* LUNDBERG, A.), 123
MALMQVIST, U. & ARNER, A. Contractile properties during development of hypertrophy of the smooth muscle in the rat portal vein, 49
MASPERS, M. (*see* BJÖRNBERG, J.), 199
MATTIASSON, A. (*see* SJÖGREN, C.), 177
MELLANDER, S. (*see* BJÖRNBERG, J.), 199
MICHAELSSON, K. (*see* HANSELL, P.), 35
MØLLER, M. (*see* VON SPRECKELSEN, S.), 239
MSGHINA, M. (*see* STJÄRNE, L.), 591
MÜLLER-SUUR, C. (*see* GONZÁLEZ, E.), 159
MYHRE, E.S.P. (*see* PIENE, H.), 501
MYLLYLA, R, (*see* LEIPÄLÄ, J.A.), 325

NACHEMSON, A.K., HANSSON, H.A. & LUNGBERG, G. Neurotropism in nerve regeneration: an immunohistochemical study, 139
NAFSTAD, P. (*see* BUANES, T.), 1
NEWSHOLME, E.A. (*see* BLOMSTRAND, E.), 117
NILSSON, J. (*see* CARLSON, H.), 343
NORDGREN, D. (*see* CALRSTEDT, A.), 423
NORDLANDER, M. (*see* FRIBERG, P.), 495
NORMAN, B., SOLLEVI, A. & JANSSON, E. Increased IMP content in glycogen-depleted muscle fibres during submaximal exercise in man, 97
NYGREN, H., ELAM, J.-H. & STENBERG, M. Adsorption of coagulation proteins and adhesion and activation of platelets at the blood–solid interface. An experimental study of human whole blood, 573
NYSTRÖM, B. (*see* HOLTZ, A.), 485

ÖGREN, S.-O. (*see* FUXE, K.), 579
ÖGREN, S.O. & FUXE, K. Apomorphine and pergolide induce hypothermia by stimulation of dopamine D-2 receptors, 91
OLGART, L. GAZELIUS, B. & SUNDSTRÖM, F. Intradental nerve activity and jaw-opening reflex in response to mechanical deformation of cat teeth, 399
OSCARSSON, J., JANSSON, J.-O. & EDEN, S. Plasma pattern of growth hormone regulates sexual dif-

ferentiation of phosphatidylcholine in rat plasma, 257
ØSTBERG, B.C. (*see* BJØRO, T.), 271
ÖTJEG, G. & WOLGAST, M. Permeability of renal capillaries. III. Theoretical analysis of hydraulic conductivity, pore structure and electrical properties, 459
OWMAN, CH. (*see* KANNISTO, P.), 563

PENMAN, E. (*see* BJØRO, T.), 271
PERNOW, J. (*see* ECKBERG, O.K.), 221
PERSSON, A.E.G. (*see* GONZÁLEZ, E.), 159
PETTERSSON, A., RICKSTEN, S.-E., TOWLE, A.C., HEDNER, J. & HEDNER, T. Haemodynamics and plasma ANP (atrial natriuretic peptide) after acute blood volume expansions in normotensive and spontaneously hypertensive rats, 513
PHILLIPS, S.F. (*see* BJÖRCK, S.), 247
PIENE, H., MYHRE, E.S.P. & WINNEM, B. Optimal and actual end-systolic pressure–volume relations in dogs and rabbits. Including new methods of E_{max} determination, 501
POSLONCE, B. (*see* UVNÄS-MOBERG, K.), 127

RÅDBERG, G., FRIMAN, S., SAMSIOE, G. & SVANVIK, J. Enterohepatic bile-acid circulation in the pregnant cat, 19
RÆDER, M.G. (*see* BUANES, T.), 1, 535
RÆDER, M.G. (*see* GROTMOL, T.), 391
RÄMÖ, M.P. (*see* KARHUNEN, M.K.), 297, 307
RASMUSSEN, B. (*see* BARNETT, T.B.), 355
REA, R.F. (*see* ECKBERG, D.L.), 221
REN, J.M., CHASIOTIS, D., BERGSTRÖM, M. & HULTMAN, E. Skeletal muscle glucolysis, glycogenolysis and glycogen phosphorylase during electrical stimulation in man, 101
REN, J.M. & HULTMAN, E. Phosphorylase activity in needle biopsy samples – factors influencing transformation, 109
RICKSTEN, S.-E. (*see* PETTERSSON, A.), 513
RIDDERSTRÅLE, Y. (*see* BUANES, T.), 535
ROSENGREN, L. (*see* MCRAE-DEGUEURCE, A.), 583
RUSKOAHO, H. (*see* LEIPÄLÄ, J.A.), 325

SALOMONSSON, M. (*see* GONZÁLEZ, E.), 159
SAMSIOE, G. (*see* RÅDBERG, G.), 19
SAND, O. (*see* BJØRO, T.), 271
SANDERS, B.J. (*see* KNARDAHL, S.), 477
SCHMIDT, G. (*see* KANNISTO, P.), 563
SECHER, N.H., KJÆR, M. & GALBO, H. Arterial blood pressure at the onset of dynamic exercise in partially curarized man, 233
SEJRSEN, P. (see KEIDING, S.), 335
SJÖBERG, N.-O. (*see* KANNISTO, P.), 563
SJÖGREN, C., ANDERSSON, K.-E., ANDERSSON, P.-O., MATTIASSON, A. & UVELIUS, B. Different effects of neuropeptide Y on electrically induced contractions in the longitudinal and circular smooth muscle layers of the female rabbit urethra, 177
SJÖQUIST, M. (*see* HANSELL, P.), 373
SJÖQVIST, A. (*see* EKLUND, S.), 551
SJÖQVIST, A. (*see* HELLSTRÖM, P.M.), 559
SJÖQVIST, A., FAHRENKRUG, J., JODAL, M. & LUNDGREN, O. The effect of splanchnic nerve stimulation and neuropeptide Y on cholera secretion and release of vasoactive intestinal polypeptide in the feline small intestine, 289
SOLLEVI, A. (*see* NORMAN, B.), 97
SØRENSEN, H. (*see* GROTMOL, T.), 391
STENBERG, M. (*see* NYGREN, H.), 573
STJÄRNE, E. (*see* STJÄRNE, L.), 435, 591
STJÄRNE, L. & STJÄRNE, E. Evidence that agonists may inhibit sympathetic transmitter secretion by an effect 'upstream' of varicosities, 435
STJÄRNE, L., STJÄRNE, E. & MSGHINA, M. Do α_2-agonists inhibit sympathetic transmitter secretion in part by depressing a Ca^{2+} component of the nerve impulse 'upstream' of varicosities?, 591
STJÄRNE, P. (*see* LACROIX, J.S.), 183
STOKKE, E.S. (*see* BUGGE, J.F.), 469
STORM-MATHISEN, I. (*see* HELGESTAD, J.), 41
SUNDSTRÖM, F. (*see* OLGART, L.), 399
SVANVIK, J. (*see* RÅDBERG, G.), 19

TAKALA, T.E.S. (*see* LEIPÄLÄ, J.A.), 325
TEGNER, R. & BORG, J. The pathology of ligated nerves in relation to abnormal impulse generators, 589
THORÉN, P. (*see* FRIBERG, P.), 495
THORÉN, P. (*see* HOFFMANN, P.), 211
THORSTENSSON, A., (*see* CARLSON, H.), 343
TORJESEN, P.A. (*see* BJØRO, T.), 271
TOWLE, A. C. (*see* PETTERSSON, A.), 513
TRIEMAN, M. (*see* VON SPRECKELSEN, S.), 239

ULFENDAHL, H.R. (*see* GÖRANSSON, A.), 455
ULFENDAHL, H.R. (*see* HANSELL, P.), 35, 373
USKI, T.K. Further characterization of the contraction-mediating prostanoid receptors in feline cerebral arteries. Effects of the thromboxane-receptor antagonist AH 23848, 519
UVELIUS, B. (*see* SJÖGREN, C.), 177
UVNÄS-MOBERG, K., POSLONCE, B., JACOBSSON, B. & UVNÄS, B. Occurrence of an insulin-like peptide in extracts of human nervous tissue, 127

VEEL, T. (*see* BUANES, T.), 535
VIHKO, V. (*see* LEIPÄLÄ, J.A.), 325
VIND, C. (*see* GRUNNET, N.), 593
VINGE, E., ANDERSSON, L.G. & LARSSON, B. Effects of some calcium antagonists on aggregation by adrenalin and serotonin and on α-adrenoceptors radioligand binding in human platelets, 407
VON SPRECKELSEN, S., MØLLER, M. & TREIMAN, M.

Low-affinity uptake of [^{3}H]choline by rat neurointermediate lobe *in vitro*, 239

WALLBERG-HENRIKSSON, H., CAMPAIGNE, B.N. & HENRIKSSON, J. *In vitro* reversal of insulin resistance in diabetic skeletal muscle is independent of extracellular Ca^{2+} and Mg^{2+}, 125
WALLING, B.G. (*see* ECKBERG, O.K.), 221
WAMBERG, S. (*see* KILDEBERG, P.), 389
WENNMALM, M. Effects of hypoxia on nerve-stimulation-induced release of noradrenaline from the rabbit heart, 25
WESSLÉN, N. & HELLMAN, B. Characterization of the glucose-induced lowering of sodium in mouse pancreatic β cells, 11
WESTERBLAD, H. & LÄNNERGREN, J. The relation between force and intracellular pH in fatigued, single *Xenopus* muscle fibres, 83
WESTERBLAD, H. (*see* LÄNNERGREN), 73
WESTRÖM, B.R. (*see* FOLKESSON, H.G.), 283
WIIG, H. (*see* HEIR, S.), 365
WIIG, H., HEIR, S. & AUKLAND, K. Colloid osmotic pressure of interstitial fluid in rat subcutis and skeletal muscle: comparison of various wick sampling techniques, 167
WINNEM, B. (*see* PIENE, H.), 501
WOLGAST, M. (*see* ÖTJEG, G.), 459

ZEUTHEN, T.H. (*see* CHERKSEY, B.D.), 267

Subject index

Acetazolamide, 535
Acidosis, 1
ACTH, 389
Adenine nucleotides, 97
Adenosine, 25
Adenosine-5′-triphosphate, 183
Adrenalin, 109, 477
Adrenal medulla, 477
Adrenergic, 545
Adrenergic nerves, 423
α-adrenoceptors, 183, 407, 561
α_2-adrenoceptors, 435, 591
β-adrenoreceptors, 477
Adsorption, 573
Aggregation, 407
AH 23848, 519
Albumin, 593
[^{125}I]albumin, 335
Analgesia, 587
ANF, 35
Angiotensin II, 325
ANP, 35
Anti-dopamine antiserum, 583
Anus, 423
Aortic constriction, 501
Arterial blood pressure, 283
Arteriolar resistance, 199
ATP turnover rate, 101
Atrial natriuretic peptide, 373, 513
Autoradiography, 485
Autoregulation, 199

Balance of base, 389
Baroreflex, 221
Bay K 8644, 417
Bicarbonate secretion, 391, 545
Bile acid, 19
Bile acid pool, 19
Bile acid secretion, 391
Bile duct cells, 535
Bile secretion, 19
Binding 267
Bladder reflex, 559
Blood pressure, 211, 495
Blood pressure regulation, 477
Borderline hypertensive rat, 477
Brain, 579
Branched-chain amino acids, 115
[^{3}H]bumetanide, 267

Ca^{2+}, 109, 591
$CaCl_2$, 307
Calcium antagonists, 407
cAMP, 271, 109
Capillary permeability, 63, 335
Capillary pressure, 199
Carbon dioxide, 1
Cardiac contractility, 297, 307
Cardiac function, 495
Cat basilar artery, 519
Cell culture, 593
Cell separation, 41
Cell volume regulation, 149
Cerebrospinal fluid, 373
Cholera, 289, 551
Choline uptake, 239
Coagulation, 573
Collagen, 325
Conductance catheter, 501
Contractility, 315
Contraction, 73, 83
Convection 63
Coronary flow, 495
Cortical thick ascending limb, 149, 159
Co-transporter protein, 267
Culture media, 41
Cyanide, 525
Cytosolic Ca^{2+}, 271

dDAVP, 283
Dehydrated rats, 365
Dehydration, 167
Dental pulp, 399
Diabetic, 125
Diaphragmatic EMG, 355
Diuretics, 469
Dopamine, 35, 373
Dopamine afferents, 583
Dose–response, 1
Dry wicks, 167
Duodenum, 545
Dynamic exercise, 233
Dynamic sensitivity, 123

Eccentric contraction, 587
[^{51}Cr]EDTA, 335
Electrical stimulation, 177
Electromyography, 343
Electro-osmosis, 459
Electrophysiology, 271
E_{max}, 501
Endorphins, 211
Enkephalin, 551
Enteric electrical activity, 247

Enteric nervous system, 247, 551
Entrapment neuropathy, 589
Epithelial water transport, 159
Equivalent pore radius, 335
Erector spinae, 343
Eticlopride, 91
Excitatory junction current, 435, 591
Excitement, 435
Exercise, 115
Excitation–contraction coupling, 73
Exocytosis, 1
Extracellular Ca^{2+}, 125
Extracellular Mg^{2+}, 125

Fatigue, 73, 83, 115
Fibre types, 587
Fluid reabsorption, 455
Fluid secretion, 289
Force production, 101
Force–velocity relation, 49, 525
Formalin test, 131
Free tryptophan, 115
Furosemide-sensitive NaCl co-transport, 149

Galanin, 579
Gastrointestinal motility, 423
GH cells, 271
Glia, 239
Glucolytic rate, 101
Glucocorticoid, 593
Glucose, 11
Glycogenolytic rate, 101
Granulocyte–macrophage colony-forming cells, 41
Granulopoiesis, 41
Growth factors, 139
β-Guanidino propionic acid, 525

Haloperidol, 35, 373
Haemodynamics, 307
HCO_3^-, 1
Heart rate, 315
Hepatocytes, 593
Heteroporosity, 63
H^+/HCO_3^- secretion, 535
Hirudin, 573
Histochemistry, 535
Hot-pate test, 131
H^+-pumps, 1
5-HT-receptors, 407
Human forearm, 335
Human locomotion, 343
Human nerve autopsy material, 127
Human platelets, 407
Human veins, 417
Hypercapnia, 355
Hypertension, 49, 325, 477
Hypertrophy, 49
Hypophysectomy, 257
Hypoxia, 25, 525

Ia afferents, 123
Ib tension regulation, 123
Immunocytochemistry, 583
Immunohistochemistry, 139
Indicator diffusion, 335
Indomethacin, 469
Inferior caval vein occlusion, 501
Inhibitors, 41
Inorganic phosphate, 101
Inosine monophosphate, 97
Inspiratory drive, 355
Insulin, 127, 593
Insulin resistance, 125
Intestinal epithelium, 283
Interstitial fluid colloid osmotic pressure, 365
Interstitial fluid volume, 167
Interstitial proteins, 167
Intestinal absorption, 247
Intestinal trasnsit, 247
Intestino-intestinal reflex, 545
Intrinsic vascular tone, 199
[^{14}C]inulin, 335
[^{14}C]iodoantipyrine, 485
Isoproterenol, 307, 315

Jaw reflexes, 399
Jump-response test, 131

Kidney, 373
Kinematics, 343

Lactate, 525
Lactotrophs, 271
Left ventricular end-diastolic dimension, 315
Left ventricular pressure, 315
Loaded breathing, 355
Locus coeruleus, 583
Loop diuretic, 391
Low-frequency nerve stimulation, 131

Macromolecular transport, 63
Macula densa cell volume, 149, 159
Mechanical stimulation, 399
Membrane charge, 459
Metabolism, 579
Micropuncture technique, 455
Morphometry, 1
Mucosal protection, 545
Muscle afferents, 211
Muscle fibre, 73, 83
Muscle injury, 587
Muscle (smooth, vascular), 49
Muscle stimulation, 211
Myelinated nerve fibres, 589
Myogenic control, 199
Myogenic vascular tone, 199

NaCl transport, 149
Na, K, Cl-cotransport, 391

Naloxone, 559
Nandrolone, 297
Natriuresis, 35, 373
Natriuretic hormone, 373
Nerve regeneration, 139
Nerve terminal spike, 435, 591
Neurogenic contraction, 563
Neurofilaments, 139
Neurohypophysis, 239
Neurointermediate lobe, 239
Neurons, 239
Neuropeptide Y, 183, 221
Neurotransmission, 177
Neurotrophic, 139
Neurotropism, 139
Nerve stimulation, 25
Nimodipine, 417
Nitroprusside, 221
Noradrenaline, 25, 183, 221
NPY, 177, 289

Occlusion pressure, 355
Opioids, 559
Osmotic minipumps, 257
Osmotic water permeability, 159
Ouabain, 11
Ovarian follicle, 561
Oxygen, 525
Oxygen consumption, 493

Pancreatic cells, 11
Parasympathetic reflex, 559
Peripheral nerve histology, 589
PGE_2, 469
$PGF_2\alpha$, 517
PGI_2, 469
pH, 83
Phenylephrine, 221
Phosphocreatine, 101
Phosphofructokinase, 101
Phospholipids, 257
Phosphorylase, 101
Phosphorylase *a* fraction, 109
Physical exercise, 495
Pig, 1, 391
Pig nasal mucosa, 183
Pinacidil, 417
Plasma protein, 573
Platelet activation, 573
Pregnancy, 19
Prejunctional, 435, 591
PRL secretion, 271
Propranolol, 109, 315
Prostaglandins, 25
Prostanoid receptors, 519
Proteins, 325

Quinine, 11

Rabbit, 587
Rabbit urethra, 177
Radioligand binding, 407
Rat, 139, 269, 283, 455, 459, 485, 579, 583
Rat portal vein, 49
Recombinant human GM-CSF, 41
Release, 289
Renal hydrogen ion secretion, 389
Renal nerve stimulation, 455
Reserpine, 183
Restricted diffusion, 335
Running, 297, 307

Saline-soaked wicks, 167
SCH 23390, 91
Sciatic nerve, 139, 269
Secretin, 391, 535
Sensory nerves, 399
Serotonin, 211, 247, 579
SHR, 211, 513
Single muscle fibres, 97
Single-unit, 269
Sinus arrhythmias, 221
Sodium, 11
Skeletal muscle, 73, 83, 97, 335
Small intestine, 289
Smooth muscle, 563
Somatostatin, 551
Spinal cord blood flow, 485
Splanchnic nerves, 545
Spontaneously hypertensive rat, 495
Sprague-Dawley rats, 589
SRIH, 271
Stimulators, 41
Streaming potential, 459
Stress, 477
Stroke volume, 315
Structure, 49
Subcutaneous, 365
Subendocardial, 325
Subepicardial, 325
Substance P, 435
Sulpiride, 91
Sympathetic, 221, 435
Sympathetic nerves, 289
Sympathetic nervous system, 545
Sympathetic terminals, 591

Tail-flick test, 131
Taurocholic acid, 535
Temperature-dependence, 3
Terminals, 435
Theophylline, 25
Thermoregulation, 91
Thymidine, 41
Tibialis anterior, 587
Tubocurarine, 233
Tubular reabsorption, 469

Tungsten microelectrodes, 269
Two-pore model, 63

U 46619, 519
Ulf von Euler, 435
Ultrasonic technique, 315
Unstirred layers, 159
Ursodeoxycholic acid, 535

Vagal, 221
Vascular control, 183
Vascular reactivity, 485
Vasoactive intestinal polypeptide, 551
Vasopressin, 149, 159
Venous resistance, 199
Ventricular diameter, 501
Ventricle-load matching, 501
Ventricular volumes, 297, 307
VIP, 289
Volume expansion, 35, 513

WKY, 513

Xenopus laevis, 73, 83